



Malcolm Field Theatre

	Capacity	Square Feet
Theatre	526	-
Main	328	4,000
Balcony	198	2,500
Orchestra Pit	70	700



Stage Specifications:

- Dimensions: 94'-2" wide x 40'-5" deep
- Proscenium opening: 40'-4" wide x 23' - 8" high
- Proscenium arch thickness: 2'-8"
- With pit covered, stage extends beyond proscenium by 15'-6"
- Curved front edge - arcs to 6'-0" @ SR & SL w/ 3' vomitory entrances
- Trap area: 16' x 16' located center stage, 4'-9" US from the Plaster Line
- Stage height above House floor: 3'-0"
- There is a hallway for backstage crossovers
- Fly rail located stage right

Stage Curtains:

- Grand Traveler is rigged to fly or operate as a traveler. The curtain and the teaser are navy blue.
- Two other black travelers of 25 oz. velour with 50% fullness. 34' w x 30'h each half.
- Four sets of legs and borders (25 oz. velour with no fullness) hung above the stage. Borders are 65'w x 12'h, legs are 18'w x 30'h.
- A black scrim 65'w x 30'h, and a white cyclorama 65'w x 30'h available.



THE CONFERENCE CENTER AT SVSU

Curtiss Hall 201 • (989) 964-4348 • events@svsu.edu

Projection System:

- The theatre is equipped with an Epson Z8455WV, permanently mounted in the control room. The screen is a 30' X 20'.

Audio System:

- Sound booth is next to the light booth in rear of house.
- Console is an AVID SC-48 with two XO-16 output cards. Main system is fed through digital outputs.
- House reinforcement is via two Renkus Heinz IC-Live arrays mounted 7' high on each side of the proscenium. Four JBL2206 subs are mounted above the proscenium at center.
- Theatre is wired throughout for Clear-Com. There are four wired channels, only two are powered. The system can be tied into the Recital Hall to link the systems and power the other two.

Electrical/Lighting:

- Road power: Separate 400A and 200A 3-phase 5-wire (lug connector) service available upstage right.
- House and work light control available at the stage manager's desk, and in the lighting control room. Console will also control house and work lights.
- Power is provided by 300 2.4k Strand CD-80sv dimmers in a 1-to-1 arrangement. Limited relay modules are available.
- All circuits have 3 pin slip stage plugs with 20 amp breakers. 12/3 stage cable, twofers, 3-pin to edison adaptors available.

Backstage Areas

Green Room - The Green room is located off the hallway just behind the upstage left access door. There is a phone (local calls only), refrigerator, and vending machine located in the room. A video stage monitor with audio is located there. Bathrooms are directly across the hall.

Dressing Rooms/ Makeup Room - There is a combination Dressing Room/Make-up Room located in the access hall backstage. It can accommodate 20-25 people. The room has mirrors, make-up lights, wash basins, showers, and toilets. There are laundry facilities available in the Costume Shop and Scene Shop.

Costume Shop - The Costume Shop is directly across the hall from the Makeup Room. Washer, sewing machines, irons and steamers are available. Clothes dryer is located in the scene shop,



THE CONFERENCE CENTER AT SVSU

Curtiss Hall 201 • (989) 964-4348 • events@svsu.edu

which is directly accessible from the costume shop.

Scene Shop - The Scene Shop is directly behind the Main stage, separated by a 6' 6" hallway. They are connected by two sets of 10'w x 12'h doors. Advance notice is needed for loading through the scene shop, to ensure ongoing set construction allows a large enough path.

DIAGRAM

